ELSEVIER

International Journal of Mass Spectrometry 190/191 (1999) 359

International Journal of Mass Spectrometry

Author index

Abbas-Hawks, C., 331
Andre, J., 59
Antoniotti, P., 243
Arkin, C.R., 47
Asano, K.G., 281

Basile, F., 331
Beld, B., 343
Blades, M.W., 69
Bortolini, O., 171
Brincourt, G., 59
Brodbelt, J., 161
Brykov, A.V., 113
Butcher, D.J., 281

Carette, M., 59
Chait, B.T., 313
Charles, M.J., 343
Creaser, C.S., 145
Croley, T.R., 265
Cullen, W.R., 195

Eigendorf, G.K., 195
Einhorn, J., 253

Favre, A., 303
Felix, T., 161
Fox, A., 321
Fox, K., 321
Frazey, P., 343
Fridgen, T.D., 181

Glish, G.L., 295
Goeringer, D.E., 281
Gonnet, F., 303
Goolsby, B., 47

Hadfield, T.L., 331
Hendricker, A.D., 331
Huston, C., 129

Karnav, T.B., 113
Kiryushin, D.W., 103
Knoop, M., 37
Krahmer, M., 321

Laude, D.A., 47
Lovejoy, E.R., 231
Lunney, M.D., 153
Lynn, B.C., Jr., 265

Malutin, A.E., 103
March, R.E., 9
Marquette, E., 129
McLuckey, S.A., 281
Moore, R.B., 153
Mosi, A.A., 195

Nguema, T., 59

O'Hair, R.A.J., 209
Operti, L., 243
Oppenheimer, J., 129

Pandolfo, L., 171
Parnis, J.M., 181
Perrier, P., 59

Qin, J., 313
Quarmby, S.T., 81

Rabezzana, R., 243
Ranasinghe, Y.A., 295
Rao, X., 343
Reid, G.E., 209
Reyzer, M., 161
Robb, D.B., 69
Rocher, J., 37
Rozhkov, O.W., 103

Sharifi, M., 253
Sheretov, E.P., 103, 113
Simpson, R.J., 209
Spaulding, R., 343
Splendore, M., 129
Stygall, J.W., 145

Tabet, J.-C., 303
Todd, J.F.J., 9
Tomaselli, C., 171
Traldi, P., 171

Vaglio, G.A., 243
Vedel, F., 37
Vedel, M., 37
Volpe, P., 243
Voorhees, K.J., 331

Wells, G., 129
Wuerker, R.F., 1

Yost, R.A., 81

Zemribo, R., 265
Zerega, Y., 59

ELSEVIER

International Journal of Mass Spectrometry 190/191 (1999) 361–364

International Journal of Mass Spectrometry

Subject index

Acylium ion
Isomeric differentiation of conjugated diene epoxides by polar [4 + 2^+] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253
Asymmetric trapping field
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129

Bacteria
Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331
Bath gas temperature
Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281
Beam optics
Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153
Biomarkers
Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331
Blackbody infrared dissociation (BIRD)
Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209
Broadband waveforms
Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265
Buffer gas
Mass selective instability mode without a light buffer gas, 103
Buffer-gas cooling
Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153
n-Butylbenzene
Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265

Carbon suboxide
Ion-molecule chemistry of carbon suboxide in an ion-trap mass spectrometer, 171
$CH_2OH_2^{\cdot+}$
A density functional theory study of the catalytic role of Ar, Kr, Xe, and N_2 in the $CH_3OH^{\cdot+}$ to $CH_2OH_2^{\cdot+}$ isomerization reaction, 181
$CH_3OH^{\cdot+}$
A density functional theory study of the catalytic role of Ar, Kr, Xe, and N_2 in the $CH_3OH^{\cdot+}$ to $CH_2OH_2^{\cdot+}$ isomerization reaction, 181
Charged particle arrays
Micrometeors and the Paul trap, 1
Chemical ionization/ion trap mass spectrometry
The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343
Chemotaxonomy
Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331
Collision-induced dissociation (CID)
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
Location of the Na^+ cation in negative ions of DNA evidenced by using MS^2 experiments in ion trap mass spectrometry, 303
Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209
Collisional activation
Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281
Collisional relaxation
Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281
Conjugated diene epoxides
Isomeric differentiation of conjugated diene epoxides by polar [4 + 2^+] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253

Density functional theory
A density functional theory study of the catalytic role of Ar, Kr, Xe, and N_2 in the $CH_3OH^{\cdot+}$ to $CH_2OH_2^{\cdot+}$ isomerization reaction, 181
Diels-Alder reaction
Isomeric differentiation of conjugated diene epoxides by polar [4 + 2^+] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253
DNA
Location of the Na^+ cation in negative ions of DNA evidenced by using MS^2 experiments in ion trap mass spectrometry, 303

Electrospray
Fundamental studies of ion injection and trapping of electrosprayed ions on a quadrupole ion trap, 81
Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209

Fourier analysis
A dual quadrupole ion trap mass spectrometer, 59

H/D scrambling Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253
Location of the Na^+ cation in negative ions of DNA evidenced by using MS^2 experiments in ion trap mass spectrometry, 303
Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209

Ion-molecule reactions
A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9
Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295
Ion-molecule chemistry of carbon suboxide in an ion-trap mass spectrometer, 171
Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
Isomeric differentiation of conjugated diene epoxides by polar [4 + 2^+] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253
Isomer differentiation
Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
Isomeric differentiation of conjugated diene epoxides by polar [4 + 2^+] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253
Isomerization reaction
A density functional theory study of the catalytic role of Ar, Kr, Xe, and N_2 in the $CH_3OH^{\cdot+}$ to $CH_2OH_2^{\cdot+}$ isomerization reaction, 181
Isotope effect
Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295

Kinetic energy measurements
Kinetic energy of an N^+ ion cloud throughout the stability diagram, 37
Kinetics
Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243
Ion trap studies of $H^+(H_2SO_4)_m(H_2O)_n$ reactions with water, ammonia, and a variety of organic compounds, 231

Laser desorption
Optimum phase angle for laser desorption ion trap mass spectrometry is dependent on the number of ions produced, 69

Mass filter
Some features of ''unstable'' trajectories of ions within hyperboloid mass spectrometers and the problem of charged particle analysis, 113
Mass range extension
A comparison of overtone and fundamental resonances for mass range extension by resonance ejection in a quadrupole ion trap mass spectrometer, 145
Mass scanning
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129
Mass selective axial instability
Mass selective instability mode without a light buffer gas, 103
Mass spectrometry
A dual quadrupole ion trap mass spectrometer, 59
Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153
Mass selective instability mode without a light buffer gas, 103
Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331

Some features of ''unstable'' trajectories of ions within hyperboloid mass spectrometers and the problem of charged particle analysis, 113
Mass spectrometry instrumentation
Characterization of a hybrid ion trap, 47
Mathieu equations
Micrometeors and the Paul trap, 1
Matrix-assisted laser desorption ionization (MALDI)
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209
Meteor simulation
Micrometeors and the Paul trap, 1
Microorganisms
Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331
MS/MS
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
Multipole trapping field
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129
Muramic acid
Comparison of ion trap and triple quadrupole gas chromatography-tandem mass spectrometry in the quantitative and qualitative trace analysis of muramic acid in complex matrices, 321

Na^+ cation
Location of the Na^+ cation in negative ions of DNA evidenced by using MS^2 experiments in ion trap mass spectrometry, 303
Nonlinear resonance
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129
Nucleoside
Hydrogen/deuterium exchange of nucleoside analogs in a quadrupole ion trap mass spectrometer, 161

Oxygenated and polar organics
The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343

Paul trap
Kinetic energy of an N^+ ion cloud throughout the stability diagram, 37
Micrometeors and the Paul trap, 1
Pentafluorobenzyl alcohol
The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343
Pentafluorobenzyl derivatives
The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343
Peptide sequence
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
Perfluorotributylamine
Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
Polycyclic aromatic hydrocarbons
Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
Propane
Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243
Propene
Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243
Protein identification
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
Protonated sulfuric acid
Ion trap studies of $H^+(H_2SO_4)_m(H_2O)_n$ reactions with water, ammonia, and a variety of organic compounds, 231

Quadrupole ion trap
A comparison of overtone and fundamental resonances for mass range extension by resonance ejection in a quadrupole ion trap mass spectrometer, 145
A dual quadrupole ion trap mass spectrometer, 59
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129
A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9
Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281
Fundamental studies of ion injection and trapping of electrosprayed ions on a quadrupole ion trap, 81

Hydrogen/deuterium exchange of nucleoside analogs in a quadrupole ion trap mass spectrometer, 161
Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295
Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
Mass selective instability mode without a light buffer gas, 103
Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331
Some features of ''unstable'' trajectories of ions within hyperboloid mass spectrometers and the problem of charged particle analysis, 113
Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265

Quistor
A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9

Radial electron injection
Mass selective instability mode without a light buffer gas, 103

Radiofrequency quadrupole mass filter
Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153

Rearrangement
Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265

Resonance excitation
A comparison of overtone and fundamental resonances for mass range extension by resonance ejection in a quadrupole ion trap mass spectrometer, 145

Resonances
Micrometeors and the Paul trap, 1

Secular frequency
A dual quadrupole ion trap mass spectrometer, 59

Silane
Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243

Simulation
Fundamental studies of ion injection and trapping of electrosprayed ions on a quadrupole ion trap, 81

Stability diagram determination
A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9

Surface induced dissociation (SID)
Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209

Tandem mass spectrometry
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
Comparison of ion trap and triple quadrupole gas chromatography-tandem mass spectrometry in the quantitative and qualitative trace analysis of muramic acid in complex matrices, 321
Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295
Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265

Thermal dissociation
Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281

Time-of-flight methods
Kinetic energy of an N^+ ion cloud throughout the stability diagram, 37

Trace analysis
Comparison of ion trap and triple quadrupole gas chromatography-tandem mass spectrometry in the quantitative and qualitative trace analysis of muramic acid in complex matrices, 321

Trapped ion cell
Characterization of a hybrid ion trap, 47

Trapping efficiency
Optimum phase angle for laser desorption ion trap mass spectrometry is dependent on the number of ions produced, 69

Water clusters
Ion trap studies of $H^+(H_2SO_4)_m(H_2O)_n$ reactions with water, ammonia, and a variety of organic compounds, 231